Login Username
Login Email
NH Public Utilities Commission NHPUC 20JUN 1641
REC Aggregator Portal
New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.
Existing Users CLICK HERE
Basic Information
Aggregator Batch Number
KE061516
Aggregator name
Knollwood Energy
Facility Owner Name
Kimberly J. Kenneally
Facility Address
158 North Pembroke Road
Facility Town/City
Epsom
Facility State
NH
Facility Zip
03234
Mailing Zip

Primary Contact
Karen Tenneson
Facility Information
Class
II A SECOND DE LA CONTRACTOR DE LA CONTR
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON85215
Date of Initial Operation
06/15/2015
Facility Operator Name, if applicable
Tability Operator Name, ii applicable
Panel Make #1
SunEdison
Panel Model
F270
Panel Quantity
18
Panel Rated Output
270
Other panel make

Other panel model
More Panel types?
No No
O Yes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
Tanorrated Catput
N. D. W.
More Panel types? No
O Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
4860
Inverter Make
Enphase Energy
Other inverter make

Inverter Quantity
18
Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
215
Rated Output - Additional Inverter
System capacity based on single inverter make
3870
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
3.87
Revenue Grade Meter Make
Revenue Grade Meter Make
Revenue Grade GIS Approved Meter
AEE SOLAR
Other revenue-grade GIS-approved meter
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Brian Pare12245M
Other Electrician Name & Number

Installation Company
SunRay Solar
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
O Yes No
Equipment Vendor
SunEdison
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-7010784_ZqsN37AX_Kenneally_Exhibit_B_Complete.pd

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-7010784_b2OXK6tq_Kimberly_J._Kenneally_contract_r

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-7010784_5PtpDiD4_N3483_Kenneally_PV_-_Processe

Aggregator statement of accuracy

Kan Jon

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

06/15/2016

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections

	wner-installed			
Customer or Company Name (print): Kim	Keneally			
Contact Person, if Company:				
Mailing Address: 158 North Pembrok				
City: Epsom	State: NH	Zip Code: 03234		
Telephone (Daytime): 603-491-9374	(Evening):			
Facsimile Number:	E-Mail Address:			
Facility Information:	Eversource Meter #			
Address of Facility (if different from above):				
City:	State:	Zip Code:		
Electrical Contractor Contact Information:				
Electrical Contractor's Name (if appropriate): Sun	Ray Splar, LLC			
Mailing Address: 124A Hall St				
City: Concord	State: NH	Zip Code: 03301		
Telephone (Daytime): 603-225-6001	(Evening):			
Facsimile Number:	E-Mail Address: Brian@SF	PreadTheSunshine.com		
License number: 12245M				
Date of approval to install Facility granted by the Co				
Eversource Application ID number: #N				
Inspection:				
The system has been installed and inspected in comp	liance with the local Building/Ele	ectrical Code of:		
city: Fosom				
Signed (Local Electrical Wiring Inspector, or attach s				
Signature: M. M. Could				
Name (printed): MAHHE (1) MI	ou Hon	Date: 6-9-15		
Customer Certification:				
hereby certify that, to the best of my knowledge, all completion is true and correct. This system has been tandards. Also, the initial start-up test required by P	installed and shall be operated in	n compliance with applicable		
lease remember to provide digital photos of the inequired), the existing Eversource meter, the inver				
s a condition of interconnection you are required to	send/fax a copy of this form to:			

Eversource
Distributed Generation
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330
Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Kimberly J. Kenneally

Printed Name of signature owner

Kimberly J. Kennedly (Jun 6, 2016) Signature of system owner

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

RECEIVED MAY 2 1 2015

Simplified Process Interconnection Application and Service Agreement

SESD

	Eversou	arce Application Project ID#:	N 3483
Contact Information:			
Legal Name and Address of Interconnecting Custo	mer (or Company	name if annmoriate)	
Customer or Company Name (print): Kim Ke		intio, ii appropriately	
Contact Person, if Company:		The state of the s	
Mailing Address: 158 N Pembroke Road		7 7 7	Victoria de la companya de la compa
City: Epsom State		Zip Code:	03234
Telephone (Daytime): 603-491-9374		(Evening):	· ALEXTO TO THE LANGUAGE CONTROL AND A LANGUA
Facsimile Number:	The trans comments of the first		Ovahoo.com
	C-Iviali	Address.	The state of the s
Alternative Contact Information (e.g., System in Namo: SunRay Solar, LLC	stallation contractor	or coordinating company, it ap	ppropriate):
Mailing Address. 124A HANSt		And the second	
City: Concord State	; NH	Zíp Code:	03301
Telephone (Daytime): 603-225-6001	Manager Committee of the Committee of th	(Evening):	
Telephone (Daytime): 603-225-6001 Facsimile Number:	E-Mail	Address Rick@SpreadTheSun:	shine,com
Mailing Address: 124A Half St City: Concord State	NH	Zip Code:	03301
Telephone (Daytime): 603-225-8001			
Facsimile Number:	E-Mail	Address: Brian@SpreadTheSur	nshine.com
Facility Site Information: Pacility (Site) Address: 158 N Pembroke Road			
City: Epsom State	NH	Zip Code:	03234
Electric		/	/
Service Company: Eversource Acco	unt Number: 569	11584076 Meter Nun	nber: \$71101883 V
Account and Meter Number: Please consult an actu Number on this application. If the facility is to be in	al Eversource electr	ic bill and enter the correct Acc	
Eversource Work Request #			
Non-Default' Service Customers Only:			
Competitive Electric			
Energy Supply Company		Account Number:	
(Customer's with a Competitive Energy Supply Con Supply Company.)			

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:	
Generator/ Model Name &	,
Inverter Manufacturer: Enphase Number: M215 Quantity:	. 18
Nameplate Rating: _215 / (kW) (kVA) 240 (AC Volts) Phase: Single	Three
Nameplate Rating: The AC Nameplate rating of the individual Inverter.	
System Design Capacity: 3.87 (kW) (kVA) Battery Backup: Yes No	
System Design Capacity: The system total of the inverter AC ratings. If there are multiple inverters installed in the sy	estam this is the
sum of the AC nameplate ratings of all inverters.	siem, ims is me
Net Metering: If Renewably Fueled, will the account be Net Metered? Yes No	
Prime Mover: Photovoltaic Reciprocating Engine Fuel Cell Turbine Other	
Energy Source: Solar Wind Hydro Diesel Natural Gas Fuel Oil Other	
Tadata das Tradata	
Inverter-based Generating Facilities:	
UL 1741 / IEEE 1547.1 Compliant (Refer To Part Puc 906 Compliance Path For Inverter Units, Part Puc 906.01 Inverte	r Danuiromente)
Yes No	i section ements)
The standard UL 1741.1 dated May, 2007 or later, "Inverters, Converters, and Controllers for Use With Independent	Power
Systems," addresses the electrical interconnection design of various forms of generating equipment. Many manufactures	urers choose to
submit their equipment to a Nationally Recognized Testing Laboratory (NRTL) that verifies compliance with UL	1741.1. This
term "Listed" is then marked on the equipment and supporting documentation. Please include, any doc provided by the inverter manufacturer describing the inverter's UL 1741/IEEE 1547.1 listing.	umentation
provided by the inverses manning the describing the inverses. SOL 1/41/IEEE 1547,1 listing.	
External Manual Disconnect Switch:	
An External Manual Disconnect Switch shall be installed in accordance with 'Parl Puc 905 Technical Requirements For	A. 1815' H
Interconnections For Facilities, Puc 905.01 Requirements For Disconnect Switches and 905.02 Disconnect Switch.	
Yes No No	
Location of External Manual Disconnect Switch:	
Annie Marie de La Company de l	ra salaka ke katiki t
Project Estimated Install Date: Project Estimated In-Service Date:	
a cojos managamentos se os procesos managamentos se os procesos managamentos se os procesos managamentos se os procesos managamentos de cojos	63
Interconnecting Customer Signature:	
I hereby certify that, to the best of my knowledge, all of the information provided in this application is true and I agree	o to the Towns
and Conditions for Simplified Process Interconnections attached hereto:	e to the Terms
Customer Signature X & included the managery Title: Currer Date:	5-15-14
Please include a one-line and/or three-line diagram of proposed installation. Diagram must indicate the generator	
point in relation to the customer service panet and the Eversource meter socket. Applications without such a diagr	
returned.	um may ve
For Eversource Use Only	
Approval to Install Facility:	
Installation of the Facility is approved contingent upon the Terms and Conditions For Simplified Process Interconnec Agreement, and agreement to any system modifications, if required.	tions of this
Are system modifications required? Yes Now To be Determined	
Company Signature: Illuhael Mother Title: Dr. ENGINES & Date:	ch1.1.1
Company Signature: Muhael Mother Title: DR. ENGINEER Date:	1/20/13
Eversource SPIA rev 03/14 Page 2 of 4	

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

EVERSOURCE waives inspection/Witness Test:	Yes X	No	Date of inspection/Witness Test:	Witness Test Waived
--	-------	----	----------------------------------	---------------------

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).